



# Advice and FAQs for prescribing and non- prescribing pharmacists in primary care

| representing **your** interests |

| defending **your** reputation |

## Introduction

PDA members will know that a key condition for safe effective practice and satisfying GPhC and indemnity cover requirements is to work within your competency. This applies to all pharmacists wherever they work and equally to Independent Prescribers (IPs) and non-IPs.

Whilst the clinician ultimately signing a prescription is the individual who will carry the bulk of medicolegal responsibility should a patient be harmed by the medicine concerned due to an error or omission, any pharmacist must ensure that they are competent to undertake the activities they are involved in and that any advice they give or changes they make to patient records are safe and accurate.

Members are expected to make use of key guidance documents regarding prescribing practice and to reflect on their areas of practice, experience, and training regularly. Below are links to some key resources regarding prescribing:

1. <https://www.pharmacyregulation.org/sites/default/files/document/in-practice-guidance-for-pharmacist-prescribers-february-2020.pdf>
2. <https://www.rpharms.com/Portals/0/RPS%20document%20library/Open%20access/Professional%20standards/Prescribing%20competency%20framework/prescribing-competency-framework.pdf?ver=2019-02-13-163215-030>
3. <https://www.pharmacyregulation.org/sites/default/files/document/high-level-principles-remote-prescribing-november-2019.pdf>

The PDA has published a series of articles based upon Coroners' Regulation 28 Prevention of Future Deaths reports. In all cases, there were learning points for independent prescribers from all professions. You can find links to the articles below:

1. [Coroner highlights the role of poor medicines review in death of patient](#)
2. [Coroner's Prevention Of Future Deaths Report - Adrenaline Auto Injectors](#)
3. [Reports to prevent Future Deaths with implications for pharmacists - poor record handling](#)
4. [Coroner highlights the importance of robust monitoring of patients taking hazardous medicines](#)

## Frequently asked questions (FAQs)

The following scenarios represent questions which are frequently asked by members to the PDA Advice Line and are designed as a first port of call, if you have a specific query which is not covered here, please contact the team for advice on 0121 694 7000

### Working in general practice for the first time

	Query	Response
1.	I am new to general practice, what are all the things I need to know to practice safely?	<p>General practice is a huge area with many different areas of work and an infinite number of ways to carry out task.</p> <p>As such, we cannot possibly tell you everything you need to know, however, there are some key principles which will hopefully set you on the right path:</p> <ul style="list-style-type: none"> <li>• Always work within your competency unless you are undertaking training directly supervised by a clinical supervisor.</li> <li>• Always consider test results where they may make a difference to the treatment under consideration. If there are no recent test results, you should consider whether it is safe to recommend or prescribe or whether you should refer to a GP.</li> <li>• Always consider <b>every</b> drug the patient is taking together with potential interactions, even if you are only being asked to advise on or prescribe one drug.</li> <li>• Never assume that another sector is 'taking care' of required tests – obtain confirmation.</li> <li>• Make clear and contemporaneous consultation records for all the patient-related work which you do. Should something go wrong, these will be essential to show what you did and why you did it.</li> </ul> <p>GPhC guidance for prescribers is equally applicable to non-prescribing pharmacists in general practice, so we have summarised it here:</p> <p>When prescribing or providing pharmaceutical care within general practice, pharmacists should consider the following three areas:</p> <ol style="list-style-type: none"> <li>1. Having all the necessary information to prescribe/advise safely</li> <li>2. Prescribe/advise safely</li> <li>3. Follow-up</li> </ol>

2.	<b>I have been asked to implement a drug switching programme. Can I change patients' medicines if I am not an IP?</b>	<p>An IP qualification is not required to undertake switches or change patients' medicines, but any such exercise must be performed safely.</p> <p>We advise that any drug switches you make, should be done in accordance with safe practice ensuring that the switches are safe for the specific patient, that the switches have been authorised and confirmed with a prescriber, any monitoring requirements are managed appropriately for the switch to ensure patient safety, and that you are working within the boundaries of your clinical competence.</p> <p>Ideally, where these exercises are done as part of a CCG or PCN programme, there should be a standard operating procedure or similar, to ensure that all pharmacists taking part do so in a uniform manner.</p> <p>Finally, we would strongly advise that any changes to patient medication should be done with the knowledge and agreement of the patient.</p>
----	-----------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>3.</p>	<p><b>I have recently started work as a Primary Care Network (PCN) pharmacist and I have been tasked with processing hospital correspondence via Docman as well as numerous other activities.</b></p> <p><b>The practice manager has said that I will be allocated 30 minutes daily to do this, but this is a large busy practice.</b></p> <p><b>I am worried that I won't be able to deal with all the correspondence within 30 minutes and may be performance managed as a result. What does the PDA advise?</b></p>	<p>Since you are part of the PCN DES programme, you should have a senior Clinical Pharmacist and a CPPE Educational Supervisor as well as your GP clinical supervisor providing support. If you have not already had a meeting with your GP clinical supervisor, we would suggest that you ask to arrange one to sit down with them and discuss your responsibilities and current competencies. As you are new to general practice this should be taken into account when considering the time set aside for your tasks.</p> <p>At this early stage, it might also be a useful to set the parameters within which you will process the letters and those areas where you would be expected to refer to a GP for advice if necessary.</p> <p>In hospital, this activity (adding new drugs to a patient record based on information from hospital TTO or letter) would be regarded as transcribing (e.g., transferring prescribing information from one type of chart or information source to another) rather than prescribing.</p> <p>Whilst the concept of transcribing does not exist in primary care, it would seem sensible to look at having some sort of written agreement between you and your practices/federation about what types of discharge and OPD medication is appropriate for practice pharmacists to add or prescribe (when/if you do become a prescriber) and when it is agreed that they should be able to print off the prescription but leave it for the GP to sign.</p> <p>Any new arrangements should be added to the practice prescribing policy (or Federation template document if there is one).</p>
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Non-IP practice pharmacy		
	Query	Response
1.	<p><b>I have been asked to oversee management of specialist shared-care drugs. I generate the repeat prescriptions ready for the GPs to sign.</b></p> <p><b>Due to the pandemic, we are not doing blood tests and I have some patients coming up for review who have not attended for their essential blood tests.</b></p> <p><b>Shall I just generate the prescriptions since we are not doing face to face appointments at the moment?</b></p>	<p>The PDA advise against delaying or cancelling the requirement for blood results where specialist or high-risk drugs are involved unless this practice has been agreed across the local health economy with the endorsement of your local CCG and hospital laboratories.</p> <p>Whilst the clinician signing the prescription would carry ultimate medicolegal responsibility should a patient come to harm, you carry professional responsibility for the advice you provide, and you should ideally pass any such patients to the GP for a clinical decision unless it is based upon locally agreed guidelines for managing high-risk medicines during the pandemic.</p> <p>The Royal College of General Practitioners produced a guide for GPs on how to manage routine work during the pandemic which you may find useful. Any tests which could make a difference to treatment remain high priority:  <a href="https://www.bma.org.uk/media/3654/bma-rcgp-covid-workload-prioritisation-nov-2020.pdf">https://www.bma.org.uk/media/3654/bma-rcgp-covid-workload-prioritisation-nov-2020.pdf</a></p>

2.	<p><b>What are my responsibilities when preparing prescription requests for GPs to sign?</b></p>	<p>As a professional medicines' expert, you should ensure that any activities you undertake are within your competency and ensure the safe treatment of the patient.</p> <p>As an example, if you are preparing a prescription for a GP to sign or passing prescriptions to be issued you should consider the following:</p> <ul style="list-style-type: none"> <li>• What are the common side effects of the medicine?</li> <li>• Are there any blood test results required to monitor safety – if so, are there recent results and are any of them out of range requiring possible adjustments to treatment?</li> <li>• Is the patient undergoing shared care with another healthcare provider increasing the risk?</li> <li>• Is the dose for the medicine you are adding within limits as per BNF guidelines and age appropriate for the patient?</li> <li>• Are there any hazardous interactions between the requested medicine and any other medicines which the patient takes?</li> </ul> <p>For example, if you pass a prescription for signing to a prescriber and the patient suffers harm because you failed to mention raised blood test results to anyone as you assumed someone else had acted, then you could be at risk of a compensation claim; similarly, should you fail to identify risks associated with drug interactions.</p> <p>The PDA has dealt with cases where both scenarios were involved. In those cases, patients came to harm, in one case catastrophic harm.</p> <p>When it comes to reviewing medicines for prescribing or issue, the PDA view is be that as a pharmacist you are expected to undertake the full range of responsibilities and considerations which are highlighted above.</p>
----	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

3.	<b>Can I bring forward medication review dates to coincide with SMRs I am carrying out?</b>	If this activity is covered by a Standard Operating Procedure (SOP) or practice procedure which clearly sets out the parameters within which you are authorised to amend medication review dates and is approved by your clinical supervisor, then it is acceptable.
----	---------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Repeat Prescribing		
	Query	Response
1.	<p><b>I am an independent prescriber. I have recently joined a GP practice.</b></p> <p><b>I have been told that I do not work fast enough, and they want to monitor how quickly I can complete certain tasks which include signing repeat prescriptions. Can they do this?</b></p>	<p>No clinician should be compelled to sign any prescriptions unless they feel clinically competent to do so.</p> <p>Unfortunately, the PDA sees numerous cases where pharmacists are pressurised to undertake prescribing which is outside their scope of practice and competency or where they are given insufficient time to complete this task safely.</p> <p>If pharmacists are taking on the routine signing of repeat prescription without the time or opportunity to check patient notes, your supervisor and you may need to consider:</p> <ol style="list-style-type: none"> <li>a. Whether this is prudent</li> <li>b. What value you are bringing to the process.</li> </ol> <p>If you cannot complete this activity with any greater scrutiny than the GPs you are replacing, then the system has not been improved in any material way.</p> <p>For the PDA, if pharmacists are routinely signing repeat prescriptions, they should be doing this with additional time which allows them to bring their unique pharmaceutical knowledge into play and therefore significantly improve patient safety and treatment.</p>

2.	<p><b>As a new pharmacist prescriber to a GP practice, what advice would you give regarding signing of repeat prescriptions that the surgery expects of me?</b></p>	<p>Pharmacists and GPs need to have a clear conversation about competence. The pharmacist prescriber must only work within their own competence and confidence and when they are new prescribers and (in many cases) new to general practice, this scope of competence may be quite limited.</p> <p>We advise that pharmacists should not be signing repeat prescriptions if they do not feel competent or confident to do so. For example, they may not feel confident to sign repeat prescriptions for patients they have never seen or for patients on medicines that are outside of their prescribing scope of practice. As education, training and experience increases, this will change.</p> <p>If pharmacists do not, initially, feel confident to sign repeats, it would be better for them to support practices by looking at their prescribing processes to identify ways to save GP time.</p> <p>Leading change such as electronic prescribing and repeat prescribing initiatives, as well as training for prescription clerks can all have significant impact. Pharmacists can answer medicines-related queries that arise when repeat prescriptions are issued, and this may save GP time and use a suitably qualified professional to meet patient need.</p> <p>No clinician can be compelled to prescribe in a therapeutic area in which they do not feel confident. It is neither safe nor sensible to expect them to start signing all repeat prescriptions at this stage. There is no fast track to prescribing – competence and confidence must grow through appropriate support and clinical supervision.</p> <p>As you continue to work within general practice, over time you are likely to be asked (and expected) to expand your areas of competence. This should be discussed and agreed with your clinical supervisor/GP Lead as part of your career development with appropriate training, mentoring, supervision, and support provided to help upskill you.</p> <p>For non-medical prescribers who have never used their IP qualification, it may be prudent to consider a period of shadowing followed by supervised prescribing until both parties are confident that the pharmacist is ready to prescribe unsupervised.</p> <p>The CPPE also provides a <i>Return to Prescribing</i> module for pharmacists undertaking the Primary Care Pharmacist Education Programme.  <a href="https://www.cppe.ac.uk/career/return-prescribing">https://www.cppe.ac.uk/career/return-prescribing</a></p>
----	---------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

3.	<p><b>I receive District Nurse (DN) request forms (filled in by DNs after home visits) for a lot of dressings however often there is no indication on the record for why they are needed/requested - am I covered to issue these?</b></p>	<p>The PDA would advise that you check if a diagnosis has been made for the condition.</p> <p>As is often the case, you would have to work collaboratively with Nurses/ Advanced Nurse Practitioners / District Nurses etc. You would need to assure yourself that the condition has been appropriately assessed, the dressings are appropriate in type and quantity for the condition and are in the locally approved dressing formulary, that there is a follow up if necessary, for the patient, and if you feel it is within your boundaries of clinical practice, that it would be safe to prescribe the dressings.</p> <p>You would also need to establish if this is a new condition or perhaps an ongoing condition which may have been diagnosed in the past.</p> <p>The GPhC guidance for pharmacist prescribers is quite clear:</p> <ul style="list-style-type: none"> <li>• Pharmacist prescribers must use their professional judgement, so that they act in the person's best interests and prescribe only the medicines they know to be safe and effective for the condition they are treating.</li> <li>• When prescribing, pharmacy professionals should consider the following three areas: <ol style="list-style-type: none"> <li>1. Having all the necessary information to prescribe safely</li> <li>2. Prescribe safely</li> <li>3. Follow-up</li> </ol> </li> </ul> <p>Prescribing clinicians carry medicolegal responsibility for the prescriptions they sign. Should a patient suffer harm because of taking a prescribed medicine or using an appliance which was not appropriate, they may bring a claim for clinical negligence against the prescriber of that medicine.</p> <p>It is worth checking local practice regarding District Nursing teams – in some areas each team has at least one nurse prescriber so that they can organise their own team prescriptions.</p>
----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

4.	<b>Would a member (being an employee of the Federation) be covered if another non-medical prescriber issued and signed a prescription with the member's name on?</b>	<p>The PDA recommends that if your name is attached to a prescription as the IP you would need to ensure that you are signing that prescription and no one else as it will be attached to your registration number. Should harm come to a patient because of an item prescribed under your name, any claims or investigations will revert to yourself as the name on the prescription.</p> <p>It is true that GPs in practice sign prescriptions with other GPs names on them, however as a non-medical prescriber (NMPs), best practice is that you should be the only one signing your own prescriptions. Indeed, some CCG areas have non-medical prescribing policies which expressly prohibit NMPs signing prescriptions for other NMPs.</p>
----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

‘Minor ailment’ clinics		
	Query	Response
1.	<p><b>I have worked in community pharmacy since registration two and a half years ago but recently obtained my IP qualification and have been offered a job working in a general practice providing walk-in clinics and telephone triage.</b></p> <p><b>This sounds like a really great opportunity and starting with minor ailments sounds like a good introduction to general practice – which policy do I need?</b></p>	<p>The PDA view is that there is no such thing as a ‘minor ailment’ in general practice unless and until a suitably qualified and experienced clinician has diagnosed it.</p> <p>If you are a recently qualified IP, do you have the experience and expertise to diagnose and treat the patients attending your clinic confidently and competently?</p> <p>Is that lump something benign or something more sinister?</p> <p>The PDA has seen several cases where members have made decisions and provided treatment with the best of intentions but based on mistaken diagnoses.</p> <p>We would advise any pharmacist wishing to embark on a career involving first contact treatment and diagnosis to undertake a full advanced clinical practice qualification to equip themselves with the required clinical and diagnostic skills.</p>

2.	<p>Is it acceptable to prescribe repeated acute prescriptions containing OTC products for recurrent conditions such as cold sores, hay fever, allergy treatments and flare ups of irritable bowel syndrome if they have been prescribed successfully in the patient past medical history? Is it acceptable to prescribe medication for repeated acute conditions e.g. repeat for acyclovir cream for a recurrent cold sore which is an OTC prep? Are pharmacists covered for OTC preparations that would be prescribed in the past and reissued again as an acute such as nsaid gel, cold sore treatment, hay fever preps, rhinitis, allergy treatments, flare up of Irritable Bowel Disease (IBS) (all prescribed successfully in past medical history).</p>	<p>If it is a <b>repeat</b> acute, practice policy/SOPs cover this activity and it is done within Boundaries of Clinical Practice Statement (BCPS) then this would be covered, since the diagnosis has already been made by another clinician.</p> <p>At this point, please check the practice's prescribing policy on prescribing of Medicines of Limited Clinical Value and medicines which should not routinely be prescribed in primary care.</p> <p><a href="https://www.england.nhs.uk/medicines-2/items-which-should-not-be-routinely-prescribed/">https://www.england.nhs.uk/medicines-2/items-which-should-not-be-routinely-prescribed/</a></p>
----	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Online pharmacies and remote prescribing services

	Query	Response
1.	<p><b>I have been working for an online pharmacy as an IP pharmacist for 4 months.</b></p> <p><b>There has been a complaint because I prescribed a medication which a patient requested, and they were harmed.</b></p> <p><b>I followed company policies, so I do I have anything to worry about?</b></p>	<p>There have been a series of incidents involving on-line prescribing services and we would urge our members to consider whether what they are being asked to do is in line with required professional practice.</p> <p>On further investigation, it transpired that in this case, the company policy did not require GP confirmation regarding the POMs being requested OR any form of communication with the GP to advise them of the medicines which had been prescribed by the service (it was up to the patient to consent to the GP being contacted and they declined).</p> <p>In all the cases which we have spoken to PDA members about, the safeguards in place have been questionable. We suggest that anyone considering this area of work considers;</p> <ul style="list-style-type: none"> <li>• How does the scenario above correspond with good professional practice? How do you know that the person who has filled in the online form and ticked all the boxes is telling the truth about their age or any other question?</li> <li>• How does the company gather information from patients – is it via a telephone consultation or the filling in of an online form?</li> <li>• Is it possible for patients to game the system by filling in the form, be rejected and then change the relevant answers to ensure their request is accepted?</li> </ul> <p>As a healthcare professional, you should consider how the regulator would view matters if someone were harmed because of a prescription you issued in a situation like the one described?</p>

Private practice		
	Query	Response
1.	<p><b>I am an IP pharmacist and am considering setting up a private prescribing clinic in a rented room.</b></p> <p><b>Are there any legal issues I need to think about, and will I be covered by my indemnity?</b></p>	<p>The PDA would not be able to cover this activity which would be regarded as a business venture. The PDA would also not indemnify any service which was not overseen by a national regulator.</p> <p>Consider the following precautions:</p> <ul style="list-style-type: none"> <li>• If any of the items you prescribe might interact with or have an impact on medicines provided by the patient's usual GP, then mechanisms for communication and sharing of relevant information must be in place.</li> <li>• You should be able to confirm whether any Prescription Only Medicine (POM) requested is part of the patient's usual medicine regime and you should let the GP know what you have prescribed. If a patient is resistant to this important safety measure, you should be extremely wary of prescribing.</li> </ul>

## Telephone consultations

	Query	Response
1.	<p><b>Can I conduct telephone reviews / consultations in my GP Practice?</b></p>	<p>Telephone and remote consultations can cover a wide variety of activities ranging from the routine to the highly complex.</p> <p>Telephoning a patient may be high risk or not depending on what you are doing and how you are doing it.</p> <p>If you are telephoning a patient to check on progress and see how they are getting on with their medicines, then this is a safety measure which might not occur in the absence of the practice pharmacist and is a positive intervention (unless of course you fail to check that biochemistry tests are up to date or fail to ask other pertinent questions to ascertain the safety of prescribing).</p> <p>If you are phoning a regular patient to carry out a pre-arranged consultation with them and have their clinical record and your own experience as a foundation for the consultation, then whilst far from ideal, this may well be considered preferential to not having any interaction with the patient at all. It would be like the activity in first scenario above, but with the bonus that you may know the patient. So, not a proper clinic consultation, but at least you can still check how they are getting on with their medicines and find out if they have any worries or concerns.</p> <p>If you are telephoning unfamiliar patients to carry out telephone triage, then this is a high-risk activity from an underwriting viewpoint since you cannot see the patient to gauge how they are, and you are likely to be making a new diagnosis at some point.</p> <p>How good are you at excluding red flags over the phone? Is it a feverish cold or is the patient in the early stages of sepsis? Are you going to organise a home visit or just tell them to take some paracetamol and plenty of fluids? These scenarios are ones which underwriters know are associated with more errors and claims – hence the higher risk classification.</p> <p>In summary, think about the types of patients you usually see in your clinics and take things from there. Do a pre-clinic risk assessment of the aspects which you could reasonably predict and mitigate (so, if they are due for a blood test and they are not going to get one, you can discuss with your GPs, agree how you will discuss this with the patient, or perhaps whether you will have 'special' clinics or send out a nurse to take the sample). If you think some of the patients are too complex to deal with over the phone, discuss with your GP Lead.</p> <p>Always ensure that your indemnity covers telephone/remote consultations and is at an appropriate level of cover for the types of telephonic interactions you are having with patients as stated above.</p>